

Product introduction of AOT-PA-4000

Specifications:



AOT-PA-4000

Ozone Output

: 4000mg/H @22 L/min,

RH 20% ,25 ℃ dry air

Application

: Water /air /medical treatment

Power

: 110/220VAC, 100W

Size

: 382 x 203 x 234 mm

Weight

: 8 kg

Working mode

:24 hours running or timer cycle

Warranty

: 1 year from shipment date

Spare Part:

Silicone tube

: 2 meters

Diffuser stone

: 1 pc


Power cable

: 1 pc

User manual

: 1 pc

Details:



Product Advantage:



Perfect performance:

We use quartz tube and 316SS electrode with precise air gap to generate ozone, a big cooling area would help a lot to work continuously. Moreover, good sealed design with ozone resistance material is good for collect high Concentration ozone and work for all kinds of air /water/medical treatment.

Long working life:

The electronic part is develop from German office with our Italy partner, compare with traditional technology, our ozone generator withstand life testing for more than 5 months.





Optional timer function:

We built-in 2 working mode of this ozone system, one is 24 hours working, the other one is with timer setting. The timer is digital count type, a Lithium battery inside could reserve power for 3 years.

Strong cooling system:

This ozone generator is with a strong cooling fan in it, the ball bearing fan is a good choice for ozone system, dislike cheap sleeve bearing fan has a short life.



Application:



Company show:









Equipment:









Equipment:









Thank you



AQUAPURE (Shenzhen) Ozone Technology Co., LTD

Add:R1102, University Town Business Park, Lishan Road, Taoyuan, Nanshan, 518055 Shenzhen, China

Office: 0086-755-2660 5963

Email: info@aquapureasia.com

Website: www.aquapureozone.com