

Product introduction of AOT-PD-500

Specifications:

AOT-PD-500

Ozone Output

: 500mg/H @2.5 L/min,

RH 20% ,25 ℃ dry air

Application

: Water /air /medical treatment

Power

: 110-220VAC, 15W

Size

: 175 x 87 x 80 mm

Weight

: 2 kg

Working mode

:24 hours running

Warranty

: 1 year from shipment date

Spare Part:

Silicone tube

: 2 meters

Diffuser stone

: 1 pc


Power adaptor

: 1 pc

User manual

: 1 pc

Details:



Product Advantage:



Perfect performance:

We use quartz tube and 316SS electrode with precise air gap to generate ozone, a big cooling area would help a lot to work continuously. Moreover, good sealed design with ozone resistance material is good for collect high Concentration ozone and work for all kinds of air /water/medical treatment.

Long working life:

The electronic part is with cooling fins on it, With double cooling system in the cell, our ozone generator withstand life testing for more than 5 months.





Multiple place way:

Our ozone generator is super mini, with light weight and portable design, you can take it to wherever you want easily , it also could stay at the flat palace or mounted on the wall, car, truck , etc.

Strong cooling system:

This ozone generator is with a strong cooling fan in it, the ball bearing fan is a good choice for ozone system, dislike cheap sleeve bearing fan has a short life.



Application:



Company show:









Equipment:









Equipment:









Thank you



AQUAPURE (Shenzhen) Ozone Technology Co., LTD

Add:R1102, University Town Business Park, Lishan Road, Taoyuan, Nanshan, 518055 Shenzhen, China

Office: 0086-755-2660 5963

Email: info@aquapureasia.com

Website: www.aquapureozone.com