



# AQUAPURE

*OZONE TECHNOLOGY*

**Product introduction of AOT-MD-500**



MEDICAL  
CARE

# Specifications:



**Ozone Concentration** : 10-100mg/L adjustable with oxygen

**Oxygen flow** : 1/32L/min ----1L/min

**Application** : Medical application

**Power** : 110-220V AC, 15W

**Size** : 206\*180\* 105 mm

**Weight** : 2.5 kg

## Quality Guarantee:

**Material** : Titanium electrode & quartz tube


**Warranty** : 1 year from shipment date

**Housing** : Metal housing

**Package size** : 320\*265\*140 mm

**AOT-MD-500**  
**Built-in ozone destructor**

# Product detail:



# Product show:



# Concentration chart:




Oxygen cylinder & Oxygen regulator

## Concentration Table

O2 flow	O3 concentration (µg/ml) (gamma)	
LPM	Level 1	Level 2
1	12.6	15.8
3/4	15.9	21.6
1/2	22.0	37.3
1/4	39.7	51.5
1/8	62.8	72.8
1/16	82.5	89.9
1/32	86.0	92.5

Send oxygen

Ozone out



Ozone generator

# Package:



**Power adaptor x1**



**FDA standard silicon tube x 2 meter**



**Male luer lock x1**



**3 ways valve with luer connector x1**

# Extra pay part:



**AOT-OR-870**  
**870 regulator**




**AOT-OR-540**  
**540 regulator**



**AOT-OR-BN1**  
**Bull nose regulator**



**AOT-OR-BN2**



**Luer Connector Syringe**

**Thank you**



**AQUAPURE (Shenzhen) Ozone Technology Co., LTD**

**Add:R1102,University Town Business Park, Lishan Road, Taoyuan, Nanshan, 518055 Shenzhen, China**

**Office : 0086-755-2660 5963**

**Email : [info@aquapureasia.com](mailto:info@aquapureasia.com)**

**Website: [www.aquapureozone.com](http://www.aquapureozone.com)**