
Ozone Generator Collection

A Variety of Ozone Generators for Different Applications

- ***Medical Treatment***
- ***Household Hygiene***
- ***Industrial Application***
- ***Ozone module integration***

1 Medical Treatment

Medical ozone generator with versatile accessories




AOT-MD-500D



AOT-MD-520


Ozone Cap




Dental Hand Piece



Ozone Breathing Tube



Ozone Stethoscope



Ozone Cupping



Ozone Hand



Gynecology Insert Dosing Kit



Ozone Bag



Rectal Insufflation



Ozone Sauna



Ozone Water



Machine Case

AOT-MD-500D



Ozone Conc. 10-99.5mg/ml adjustable with oxygen

Material Titanium electrode & quartz tube

Levels 1/16 L/min ----2L/min

Power 110-220V AC, 25W

Size 240*180*80 mm

Weight 3 kg, with O3 destructor

AOT-MD-520



Ozone Conc. 4-95ug/ml adjustable with oxygen

Material Titanium electrode & quartz tube

Levels 6 optional levels

Power 110-220V AC, 15W

Size 240*195*80 mm


Weight 3 kg, with O3 destructor

2 Household Hygiene

Your Solution for Clean, Safe Spaces



AOT-PD-500



AOT-CD-01



AOT-PA-2000



AOT-PA-4000



AOT-PD-500



Ozone Output

500mg/H @2.5 L/min,
RH 20% ,25 °C dry air

Application

Water /air /medical treatment

Power

110-220VAC, 15W

Size

175 x 87 x 80 mm

Weight

2 kg

Working mode

24 hours running
O3 destructor

AOT-CD-01



Ozone in Water

0.3-0.9ppm

Max inlet chlorine

2ppm

Max inlet TDS

1000ppm to 2ppm free chlorine

Power

110-220V AC, 36W

Size

375*290*105 mm

Weight

3.5 kg

AOT-PA-2000



Ozone Output

2000mg/H @10 L/min,
RH 20% ,25 °C dry air

Application

Water /air /medical treatment

Power

110/220VAC, 65W

Size

286.5 x 162 x 178 mm

Weight

6 kg

Working mode

24 hours running or timer cycle

AOT-PA-4000



Ozone Output

4000mg/H @22 L/min,
RH 20% ,25 °C dry air

Application

Water /air /medical treatment

Power

110/220VAC, 100W

Size

382 x 203 x 234 mm

Weight

8 kg

Working mode

24 hours running or timer cycle

3 Industrial Application


Your Natural Defense Against Pollution



AOT-10G




AOT-28G



Deodorize Food




Pool Water Treatment



Ammonia Gas Reduction





Seafood Aquaculture



Decolorization & Deodorization



Wastewater Treatment



AOT-5KG

AOT-10G



Ozone Output 4.0-10.0 g/h

Ozone concentration >55 mg/L at 3.0 L/min

Gas flow 0.5 - 3.0 L/min

Size 275 x 270 x 392 mm

Weight 19.5 kg

Working mode 24 hours running or timer cycle

AOT-28G



Ozone Output 8.0-28.0 g/h

Ozone concentration >58 mg/L at 8.0 L/min

Gas flow 1.5 - 8.0 L/min

Size 381 x 350 x 560mm

Weight 47 kg

Working mode 24 hours running or timer cycle

AOT-5KG



Ozone Gen 40KW

Internal
Circulation Water
Pump 1.1KW

Oxygen
Generator 55KW


Vacuum Dryer 4KW

Refrigerated
Dryer 2.8KW



4 Ozone module integration


The Eco-Friendly Choice for Cleanliness



AOT-D-500



AOT-FD-500



AOT-A-500

AOT-A-2000

Air Conditioning System

Car Air Purifier

Aquarium Filter

Medical Ozone generator

Water Purifier


Dishwasher

Vegetable and Fruit Chiller

Fridge

Jacuzzi

AOT-D-500



Ozone Conc.

500 mg/H with air source of 2.5L/min, RH 20%, 25°C

Material

Titanium electrode & quartz tube

Power

12V DC < 10W

Size

100*41*33 /
100.6*40*30 mm

Weight

0.3KG

AOT-FD-500



Ozone Conc.

500 mg/H at 2.5L/min

Material

With quartz tube and 316 stainless steel electrode

Power

12V DC, 12W

Size

139 x 78.4x 57.5 mm

Weight

0.55KG

AOT-A-500



Ozone Conc.

500 mg/H with air source of 2.5L/min, RH 20%, 25°C

Material

Titanium electrode & quartz tube

Power

110-240V AC, 12W


Size

Electronic: 96 x 83 x 30.5 mm
Generator: 100.6 x 40 x 30 mm

Weight

0.6KG

AOT-A-2000



Ozone Conc.

2000 mg/H with air source of 10L/min, RH 15%, 20°C

Material

With quartz tube +304 stainless steel electrode

Power

220V AC, 35W

Size

Electronic: 113 x 48.3 x 31.2 mm
Generator: 148 x 40 x 40 mm

Weight

0.75KG

Whatsapp/Handy: 0086 18844541798

Email: joey.chen@aquapureasia.com

Tel:0086-755-26605963

Aquapure Shenzhen Ozone Technology Co., Ltd.

F5,Building#8,Jiuxiangling Industrial Park, XiliNanshan,Shenzhen, China -518055

Aquapure Group GmbH

Hans-Thoma-Weg 3,DE 71032 Boeblingen, Germany

Ozone Generator Collection

Thank you



WeChat



Telegram



WhatsApp